

CS 5/7320  
Artificial Intelligence


# Search with Uncertainty

AIMA Chapters 4.3-4.5

Slides by Michael Hahsler  
with figures from the AIMA textbook



This work is licensed under a [Creative Commons Attribution-ShareAlike 4.0 International License](https://creativecommons.org/licenses/by-sa/4.0/).





# Consequence of Uncertainty

1. The agent may not know in what state it and the environment exactly is in.

It needs to keep track of all the states it could be in. This set is called the ***believe state***.

2. The solution is typically not a fixed precomputed plan (sequence of actions), but a

***conditional plan (also called strategy or policy)***

that depends on percepts.

# Types of uncertainty in the environment\*



## **Nondeterministic Actions:**

Outcome of an action in a state is uncertain.



## **No observations:**

Sensorless problem



## **Partially observable environments:**

The agent does not know in what state the environment is.



## **Exploration:**

Unknown environments and Online search

\* we will quantify uncertainty with probabilities later.





# Nondeterministic Actions

# Definition: Nondeterministic Actions

Outcome of actions in the environment is nondeterministic = **transition model need to describe uncertainty.**




Note the 's' here

Example transition:

$$Results(s_1, a) = \{s_2, s_4, s_5\}$$

i.e., action  $a$  in  $s_1$  can lead to one of several states.



# Example: Erratic Vacuum World



Regular deterministic vacuum world, but the action 'suck' is more powerful and **nondeterministic**:

- a) **On a dirty square:** cleans the square and sometimes cleans dirt on adjacent squares as well.
- b) **On a clean square:** sometimes deposits some dirt on the square.

# Example: Erratic Vacuum World






We need a conditional plan

[Suck, **if** State = 5 **then** [Right, Suck] **else** []]



# Finding a Cond. Plan: AND-OR Search Tree



 OR node (choose one action)  
 AND node (all possible outcomes)


**LOOP:** No need to continue search. Solution is the same as above.

Solution is shown with **bold** arrows:  
 [Suck, **if** State = 5 **then** [Right, Suck] **else** []]

Solution is a subtree that

1. has only GOAL leaf nodes
2. specifies one action at each OR node (state)
3. includes every outcome of AND nodes

# AND-OR Tree search: Idea



- Descend the tree by trying an action in each OR node and considering all resulting states of the AND nodes.
- Remove branches (actions) if we cannot find a subtree below that leads to only goal nodes. (see failure in the code on the next slide). Loop nodes can be ignored.
- Stop when we find a subtree that only has goal states in all leaf nodes.
- Construct the conditional plan that represents the subtree starting at the root node.

[Suck, if State = 5 then [Right, Suck] else []]

# AND-OR Recursive DFS Algorithm

= nested If-then-else statements

```
function AND-OR-SEARCH(problem) returns a conditional plan, or failure  
return OR-SEARCH(problem, problem.INITIAL, [])
```

path is only maintained for cycle checking!

```
function OR-SEARCH(problem, state, path) returns a conditional plan, or failure  
if problem.IS-GOAL(state) then return the empty plan  
if IS-CYCLE(path) then return failure // don't follow loops using path.  
for each action in problem.ACTIONS(state) do // try all possible actions  
    plan ← AND-SEARCH(problem, RESULTS(state, action), [state] + path)  
    if plan ≠ failure then return [action] + plan  
return failure // fail means we found no action that leads to  
                // a goal-only subtree
```

```
function AND-SEARCH(problem, states, path) returns a conditional plan, or failure  
for each  $s_i$  in states do // try all possible outcomes, none can fail!  
     $plan_i$  ← OR-SEARCH(problem,  $s_i$ , path) // (= belief state)  
    if  $plan_i$  = failure then return failure // fail if we find any non-goal subtree  
return [if  $s_1$  then  $plan_1$  else if  $s_2$  then  $plan_2$  else ... if  $s_{n-1}$  then  $plan_{n-1}$  else  $plan_n$ ]
```


## Notes:

- The DFS search tree is implicitly created using the call stack (recursive algorithm).
- DFS is **not optimal!** BFS and A\* search can be used to find better solutions (e.g., smallest subtree).

# Use of Conditional Plans

- Planning uses search to find a conditional plan that leads to a goal state.
- The conditional plan can be executed by a **model-based agent** that uses a program counter to execute the plan and percepts for the if statements.

Example: After the initial action “suck”



# Search With No Observations

Using Actions to  
“Coerce” the World into  
Known States



# No Observations


Sensorless problem = unobservable environment also called a conformant problem.

## Why is this useful?



- **Example:** Doctor prescribes a broad-band antibiotic instead of performing time-consuming blood work for a more specific antibiotic. This saves time and money.
- **Basic idea:** Find a solution (a sequence of actions) that **works (reasonably well) from any state** and then just blindly execute it (called in control theory: open loop system).




# Belief State



- The agent does not know in which state it is exactly in.
- However, it may know that it is in one of a set of possible states. This set is called a **belief state** of the agent.
- Example:  $b = \{s_2, s_4, s_6\}$




# Actions to Coerce the World into States




- Actions can reduce the number of possible states.
- **Example:** Deterministic vacuum world. Agent does not know its position and the dirt distribution.


Initial belief state {1,2,3,4,5,6,7,8}




# Actions to Coerce the World into States




- Actions can reduce the number of possible states.
- **Example:** Deterministic vacuum world. Agent does not know its position and the dirt distribution.





# Actions to Coerce the World into States 2



- The action sequence [right, suck, left, suck] coerces the world into the goal state 7. It works from any initial state!
- There are no observations so there is no need for a conditional plan.



Example: The reachable belief-state space for the deterministic, sensorless vacuum world



Size of the belief state space depends on the number of states  $N$ :

$$\mathcal{P}_s = 2^N = 2^8 = 256$$

Only a small fraction (12 states) are reachable.

No observations, so we get a solution sequence from an initial belief state:  
**[Right, Suck, Left, Suck]**

# Finding a Solution Sequence

**Note:** State space size makes this impractical for larger problems!

Formulate as a regular search and solve with DFS, BFS or A\*:

- **States:** All belief states (=powerset  $\mathcal{P}_s$  of states of size  $2^N$  for N states)
- **Initial state:** Often the belief state consisting of all states.
- **Actions:** Actions of a belief state are the union of the possible actions for all the states it contains.
- **Transition model:**  $b' = Results(b, a) = \{s' : s' = Result(s, a) \text{ and } s \in b\}$
- **Goal test:** Are all states in the belief state goal states?
- **Simplifying property:** If a belief state (e.g.,  $b_1 = \{1,2,3,4,5\}$ ) is solvable (i.e., there is a sequence of actions that coerce all states to only goal states), then belief states that are subsets (e.g.,  $b_2 = \{2,5\}$ ) are also solved using the same action sequence. Used to prune the search tree.

## Other approach:

- **Incremental belief-state search.** Generate a solution that works for one state and check if it also works for all other states. If it does not, then modify the solution slightly. This is similar to local search.



# Case Study

The agent can move up, down right, left.

The agent has **no sensors** and does not know its current location.

**1. Can you navigate to the goal location?  
How?**

**2. What would you need to know about  
the environment?**

**3. What type of agent can do this?**

A collection of colorful, 3D-printed geometric shapes, including letters and symbols, scattered on a blue surface. The shapes are in various colors like red, yellow, blue, and green. The text is overlaid on the center of the image.

# Partially Observable Environments

Using Observations to  
Learn About the State


# Percepts and Observability

- Many problems cannot be solved efficiently without sensing (e.g., 8-puzzle).
- We need to see at least one square.

**Percept function:**  $Percept(s)$

... $s$  is the state


- **Fully observable:**  $Percept(s) = s$
- **Sensorless:**  $Percept(s) = None$
- **Partially observable:**  $Percept(s) = o$   
 $o$  is called an observation and tells us something about  $s$



$Percept(s) = Tile7$

**Problem:** Many states (different order of the hidden tiles) can produce the same observation!

# Use Observations to Learn About the State



Agents choose an action and then receive an observation.

**Idea:** Observations can be used to learn about the agent's state.

Assume we have a current belief state  $b$  (i.e., the set of states we could be in).

**Prediction for action:** Choose an action  $a$  and compute a new belief state that results from the action.




$$\hat{b} = \text{Predict}(b, a) = \bigcup_{s \in b} \text{Result}(s, a)$$

**Update with observation:** You receive an observation  $o$  and only keep states that are consistent with the new observation. The belief after observing  $o$  is:

$$b_o = \text{Update}(\hat{b}, o) = \{s : s \in \hat{b} \wedge \text{Percept}(s) = o\}$$

Both steps in one:       $b \leftarrow \text{Update}(\text{Predict}(b, a), o)$


# Example: Deterministic local sensing vacuum world




$$b \leftarrow \text{Update}(\text{Predict}(b, a), o)$$

$$\text{Update}(\text{Predict}(\{1,3\}, \text{Right}), [B, \text{Dirty}]) = \{2\}$$


# Solving Partially Observable Problems



Use an AND-OR tree of belief states to create a conditional plan




Initial belief state




**Solution:** *[Suck, Right, if b = {6} then Suck else []]*



# Solving Partially Observable Problems 2




Use an AND-OR tree to create a conditional plan





**Solution:** [*Suck*, *Right*, if  $b = \{6\}$  then *Suck* else []]

# Solving Partially Observable Problems 3




Use an AND-OR tree to create a conditional plan




**Solution:** [*Suck*, *Right*, if  $b = \{6\}$  then *Suck* else []]

# Solving Partially Observable Problems 4




Use an AND-OR tree to create a conditional plan



$b = \{6\}$  is the result of the update with  $o = [r, \text{Dirty}]$

# State Estimation and Approximate Belief States




- Agents choose an **action** and then receive an **observation** from the environment.
- The agent keep track of its belief state using the following update:


$$b \leftarrow Update(Predict(b, a), o)$$

- This process is often called
  - **monitoring**,
  - **filtering**, or
  - **state estimation**.
- The agent needs to be able to update its belief state following observations in **real time!** For many practical application, there is only time to compute an **approximate belief state!** These approximate methods are used in control theory and reinforcement learning.

Case Study:  
Partially  
Observable  
8-Puzzle



# Partially Observable 8-Puzzle



1. Give a problem description for each step.
  - States:
  - Initial state:
  - Actions:
  - Transition model:
  - Goal test:
  - Percept function:
2. The problem can be solved using an AND-OR Tree, but is there an easier solution?
  - a. What type of agent do we use?
  - b. What algorithms can be used?





# Exploration

Unknown Environment and  
Online Search



# Online Search

- **Recall offline search:** Create a plan using the state space as a model before taking any action. The **plan** can be a **sequence of actions** or a **conditional plan** to account for uncertainty.
- The agent uses the transition function to predict the consequence of actions. What if the **transition function is unknown?**
- **Online search** explores the real world one action at a time. Prediction is replaced by “act” and update by “observe.”



- Useful for
  - **Real-time problems:** When offline computation takes too long and there is a penalty for sitting around and thinking.
  - **Nondeterministic domain:** Only focus on what happens instead of planning for everything!
  - **Unknown environment:** The agent has no complete model of how the environment works. It needs to explore an unknown state space and/or what actions do. I.e., it needs to **learn the transition function**  $f : S \times A \rightarrow S$

# Design Considerations for Online Search

- **Knowledge:** What does the agent already know about the outcome of actions? E.g.,
  - Does go north and then south lead to the same location?
  - Where are the walls in the maze?

} Transition function

Often a part or all of the transition function is unknown!

- **We need a safely explorable state space/world:** There are **no irreversible actions** (e.g., traps, cliffs) or the agent needs to be able to avoid these actions using percepts.
- **Exploration order is important:** Expanding nodes in **local order** is more efficient if you must execute the actions to get observations: Depth-first search with backtracking instead of BFS or A\* Search.

# Online Search: Model-based Agent Program for Unknown Transition model

Environment is deterministic and fully observable (the percept is the full state) but

- unknown transition model (function *result*).

**Approach:** The agent builds the map  $result(s, a) \rightarrow s'$  by trying all actions and backtracks when all actions in a state have been explored.

```
function ONLINE-DFS-AGENT(problem, s') returns an action
    s, a, the previous state and action, initially null
    persistent: result, a table mapping (s, a) to s', initially empty
    untried, a table mapping s to a list of untried actions
    unbacktracked, a table mapping s to a list of states never backtracked to

    if problem.IS-GOAL(s') then return stop
    if s' is a new state (not in untried) then untried[s'] ← problem.ACTIONS(s')
    if s is not null then
        result[s, a] ← s'
        add s to the front of unbacktracked[s']
    if untried[s'] is empty then
        if unbacktracked[s'] is empty then return stop
        else a ← an action b such that result[s', b] = POP(unbacktracked[s'])
    else a ← POP(untried[s'])
    s ← s'
    return a
```

Learns results function  
(= transition function)

Untried is the "frontier"

*unbacktracked* stores the current path

Record the found transition

Keep breadcrumbs to go back


# Case Study: DFS with Backtracking for an unknown Maze

- We can only see adjacent squares and don't know the location of the goal!
- We cannot plan but we must explore by walking around!
- We only know what we have already explored.
- A simple method is to store the path for backtracking to get back to untied paths when we run into a dead end (i.e., use breadcrumbs).
- This is DFS without a reached data structure.

↓ Agent

untried  
(~ frontier)

The  
transition  
function is  
unknown.





Important concepts that you should be able to explain and use now...

---

- Difference between solution types:
  - a. a fixed actions sequence,
  - b. a conditional plan (also called a strategy or policy), and
  - c. exploration.
- What are belief states?
- How actions can be used to coerce the world into known states.
- How observations can be used to learn about the state: State estimation with repeated predict and update steps.
- The use of AND-OR trees to solve small problems.